

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 08-078110

(43)Date of publication of application : 22.03.1996

(51)Int.Cl.

H01R 23/68

(21)Application number : 06-203304

(71)Applicant : WHITAKER CORP:THE

(22)Date of filing : 29.08.1994


(72)Inventor : UCHIDA MASAKI

(54) ELECTRIC CONNECTOR

(57)Abstract:

PURPOSE: To increase the allowable elastic deformation amount of a contact and at the same time make the contact small in a pressure contact interposing electric connector.

CONSTITUTION: A contact 15 of an electric connector 10 has an almost S-shaped elastic part 15c between a holding part 15a held with an insulating housing 11 and a contact part 15b projecting from two main surfaces 12, 13 of the insulating housing 11. The elastic part 15c has two curved parts of a first curved part 15d and a second curved part 15e formed in one plane, and the width of each part is formed so that a part producing large stress in interposing is made wide and a part producing small stress is made narrow.



(11)特許出願公開番号

特開平8-78110

(43)公開日 平成8年(1996)3月22日

技術表示箇所

3 0 3 E 6901-5B

審査請求 未請求 請求項の数2 OL (全 5 頁)

(71)出願人 392030737

ザ ウィタカー コーポレーション

アメリカ合衆国 デラウェア州 19808

ウィルミントン ニューリンデンヒル ロ

ード 4550 スイート 450

(72)発明者 内田 昌樹

東京都府中市日鋼町1番1 Jタワー16階

アンプ テクノロジー ジャパン株式会社

社内

(74)代理人 弁理士 柳田 征史 (外1名)

(54) 【発明の名称】 電気コネクタ

(57)₂

9

9

11

12 13

15

15

10

15


15

15

15

11

15



(2)

I

2

2
2

2

2
10 2

2

2

20

2

2
30

0.75 2.0

2
2
2

2

2
2

40

2
2

63-43279

2

50

(3)

3

4

0.75 2.0

2
2

10

20

2

20 21

2
15

1

2

0.75 2.0

30

0.75 0.2

2

2

2

2

10

11

12 13

14

14

15

40

0.75

2

16




15

16

50

15

15



(5)

